

JOY KIE CORPORATION LIMITED

- ♀ 16F XinChuanMei Chanye Building, No.58 Xintang Road, Hangzhou, China.310020
- **6** 0086 571-87809605

JOY SUN (ZHEJIANG) BICYCLE MANUFACTORY CO., LTD.

- No.1117 Zhongxing North Road, Fuxi Street, Deqing, Huzhou, Zhejiang, China 313200
- **6** 0086 572-8390888

HANGZHOU JOY SHINE IMP.& EXP.CO.,LTD.

- Room808, Zhongmin Building, No.8 Guodong Yuan Lane, Shangcheng District, Hangzhou, Zhejiang, China, 310009
- www.joykiebikes.com
- sales@joykiebikes.com









02

JOYKIE INTRO

COMPANY PROFILE	P01-0
PRODUCT INTRODUCTION	
ELECTRIC BIKE	P03-1
ELECTRIC SCOOTER	P13-4
ELECTRIC HARLEY	P47-5
HIGH-END ELECTRIC SCOOTER	P53-6
SHARE RIDING	P61-6
ELECTRIC TRIKE	P69-7
ELECTRIC TRIKE FOR SENIORS	P79-8
MINIEV	DOE O

ELECTRIC CARGO VEHICLE P91-98

COMPANY PROFILE

For over 20 years,

Joykie people have created their own development speed.

JOY KIE Corporation, founded in 2000, formerly known as Hangzhou JOY KIE IND.&TRAD.CO., LTD.

Starting from the foreign trade of bicycles.


JOY KIE now has a complete bicycle industry chain: From trading to manufacturing:

From export sales to domestic sales and brand export;

From product to sports ecology;

Has successfully ranked among the first echelon of comprehensive strength

in Chinese bicycle industries.





JOY KIE CORPORATION

As a listed entity, the company was officially renamed

JOY KIE Corporation Limited on June 18, 2019.

For over 20 years, Joykie people have created their own development speed.

Joy Kie Corporation Limited was founded in 2000,

formerly known as Hangzhou Joy Kie Ind.&Trad. Co., Ltd.

On 12 August 2021, Joy Kie (Stock Code: 300994) was successfully listed on the ChiNext board on SZSE.

Starting from the foreign trade of bicycles, Joy Kie has now completed the gorgeous transition from export sales to manufacturing, from domestic sales to brand export, and from product to sports ecology.

Our company has successfully ranked among the first echelon of comprehensive strength in Chinese bicycle industries.

Tailored products to fit your unique requirements.





J24EB001





SPECIFICATIONS

II SIZE	1500*320*780MM	BATTERY	48V12AH
▲ WEIGHT	46KG	O TIRES	2.50-14
⊘ VOLTAGE	48V	BRAKE(F/R)	F:DRUM BRAKE R:INTERNAL
MOTOR POWER	350W		EXPANDING BRAKE
□ TOP SPEED	25km/h	O RANGE	≥25KM
CONTROLLER	6T	⊘ CERTIFICATION	CCLC







SPECIFICATIONS

II SIZE	1520*350*900MM	■ BATTERY	48V12AH
▲ WEIGHT	52KG	O TIRES	2.50-14
⊘ VOLTAGE	48V	⊗ BRAKE(F/R)	F&R:DRUM BRAKE
MOTOR POWER	400W	O RANGE	≥25KM
	25km/h	⊘ CERTIFICATION	CCLC
CONTROLLER	6T		



J24EB003





SPECIFICATIONS

■ SIZE 1530*350*900MM

WEIGHT 53KG

VOLTAGE 48V/60V

MOTOR POWER 400W

TOP SPEED 25km/h

CONTROLLER 6T

■ BATTERY 48V20AH/60V20AH

O TIRES 2.50-14

⊘ CERTIFICATION CCLC








SPECIFICATIONS

II SIZE 1495*655*1060MM BATTERY LITHIUM BATTERY:48V24AH **™** WEIGHT 48KG /60V20AH **⊘** VOLTAGE 48V/60V O TIRES 2.50-14 **MOTOR POWER** 500W BRAKE(F/R) F&R:DRUM BRAKE □ TOP SPEED 25km/h 60-80KM **⊘ RANGE** ■ CONTROLLER 6T **⊘ CERTIFICATION** CCLC









	PARAMETER 1	PARAMETER 2	PARAMETER 3
II SIZE	1720*780*1075MM	1720*780*1075MM	1720*780*1075MM
▲ WEIGHT	54KG	54KG	55KG
	48V	48V	48V
MOTOR POWER	400W	400W	800W
O TOP SPEED	32km/h	45km/h	45km/h
■ CONTROLLER	6T	6T	12T
■ BATTERY	48V12AH	48V26AH (LITHIUM BATTERY)	48V26AH (LITHIUM BATTERY)
O TIRES	2.50-18	2.50-18	2.50-18
	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE	F&R:DISC BRAKE
ಲ RANGE	38-40KM	75-80KM	55-60KM
⊘ CERTIFICATION	EEC	EEC	EEC



J24EB006



SPECIFICATIONS

■ SIZE 1620*630*1080MM

▲ WEIGHT 35KG

MOTOR POWER 400W

TOP SPEED 25-30km/h

■ CONTROLLER 6T

■ BATTERY 48V12AH

O TIRES 2.50-10

BRAKE(F/R) F&R:DRUM BRAKE

৩ **RANGE** 60KM

© CERTIFICATION EEC







PART 02

ELECTRIC

SCOOTER

www.joykiebikes.com









	PARAMETER 1	PARAMETER 2	PARAMETER 3
I SIZE	1650*720*1120MM	1650*720*1120MM	1650*720*1120MM
MEIGHT	51KG	51KG	51KG
⊘ VOLTAGE	60V	72V	72V
MOTOR POWER	500W	1000W	1800W
O TOP SPEED	35-40km/h	35-40km/h	45km/h
■ CONTROLLER	12T	12T	15T
■ BATTERY	60V20AH	72V20AH	72V20AH
O TIRES	3.00-10	3.00-10	3.00-10
⊕ BRAKE(F/R)	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE
O RANGE	40-50KM	55-65KM	40-45KM
⊘ CERTIFICATION	CCC	CCC	CCC

J24EST002





	PARAMETER 1	PARAMETER 2	PARAMETER 3
I SIZE	1820*720*1150MM	1820*720*1150MM	1820*720*1150MM
™ WEIGHT	60KG	60KG	60KG
⊘ VOLTAGE	60V	72V	72V
MOTOR POWER	500W	1000W	1800W
TOP SPEED	35-40km/h	35-40km/h	45km/h
■ CONTROLLER	12T	12T	15T
BATTERY	60V30AH	72V30AH	72V30AH
TIRES	3.00-10	3.00-10	3.00-10
BRAKE(F/R)	F&R:DISC BRAKE	F&R:DISC BRAKE	F&R:DISC BRAKE
೨ RANGE	60-70KM	85-95KM	55-65KM
⊘ CERTIFICATION	CCC	CCC	CCC







SPECIFICATIONS PARAMETER 1 PARAMETER 2 PARAMETER 3 II SIZE 1820*730*1100MM 1820*730*1100MM 1820*730*1100MM 68KG 68KG **▲ WEIGHT** 68KG **O VOLTAGE** 60V 72V 72V 1800W **MOTOR POWER** 600W 1000W □ TOP SPEED 35-40km/h 35-40km/h 60km/h 15T CONTROLLER 12T 12T BATTERY 60V20AH 72V20AH 72V20AH O TIRES 3.00-10 3.00-10 3.00-10 BRAKE(F/R) F&R:DISC BRAKE F&R:DISC BRAKE F&R:DISC BRAKE **⊘** RANGE 40-50KM 55-64KM 40-45KM **⊘** CERTIFICATION CCC CCC CCC

J24EST004





SPECIFICATIONS

II SIZE	1650*720*1120MM	BATTERY	60V20AH
▲ WEIGHT	54KG	O TIRES	3.00-10
⊘ VOLTAGE	48/60V	BRAKE(F/R)	F:DISC BRAKE
MOTOR POWER	500W		R:DRUM BRAKE
	35-40km/h	O RANGE	55-65KM
CONTROLLER	12T	⊘ CERTIFICATION	CCC

PAGE 17





	PARAMETER 1	PARAMETER 2	PARAMETER 3
I SIZE	1850*1120*715MM	1850*1120*715MM	1850*1120*715MM
™ WEIGHT	68KG	68KG	68KG
⊘ VOLTAGE	48V	60V	72V
MOTOR POWER	800W	1600W	2000W
7 TOP SPEED	45km/h	60km/h	70km/h
■ CONTROLLER	12T	12T	12T
BATTERY	48V60AH (LITHIUM BATTERY)	60V50AH (LITHIUM BATTERY)	72V40AH (LITHIUM BATTERY)
TIRES	F:90/80-12 R:90/90-10	F:90/80-12 R:90/90-10	F:90/80-12 R:90/90-10
	CBS DISC BRAKE	CBS DISC BRAKE	CBS DISC BRAKE
೨ RANGE	130KM	90KM	65KM
⊘ CERTIFICATION	CCC	CCC	CCC







SPECIFICATIONS

■ SIZE 1580*690*1040MM

▲ WEIGHT 54.9KG

MOTOR POWER 500W

TOP SPEED 25km/h

■ CONTROLLER 9T

■ **BATTERY** 48V20AH/60V20AH

O TIRES 2.75-10

BRAKE(F/R) DRUM BRAKE

೨ RANGE 60-80KM

⊘ CERTIFICATION CCC





PAGE 121



SPECIFICATIONS PARAMETER 2 PARAMETER 1 PARAMETER 3 PARAMETER 4 II SIZE 1770*745*1090MM 1770*745*1090MM 1770*745*1090MM 1770*745*1090MM **△** WEIGHT 52KG 52KG 53KG 53KG 48V 60V **⊘** VOLTAGE 48V 48V 400W **MOTOR POWER** 400W 800W 1000W 35km/h 40km/h 45km/h □ TOP SPEED 50km/h ■ CONTROLLER 9T 9T 12T 12T BATTERY 48V20AH 48V20AH (LITHIUM 48V30AH (LITHIUM 60V40AH (LITHIUM BATTERY) BATTERY) BATTERY) O TIRES 80/90-14 80/90-14 80/90-14 80/90-14 F:DISC BRAKE F&R:DISC BRAKE BRAKE(F/R) F:DISC BRAKE F:DISC BRAKE R:DRUM BRAKE R:DRUM BRAKE R:DRUM BRAKE 50-55KM 65-70KM **⊘** RANGE 55-60KM 65-70KM









SPECIFICATIONS

II SIZE 1855*760*1160MM

▲ WEIGHT 56KG/58KG

Ø VOLTAGE 60V

MOTOR POWER 1000W/1500W

45km/h / 55km/h ☐ TOP SPEED

CONTROLLER 12T/18T

BATTERY

60V32A (LITHIUM BATTERY) / 60V45A (LITHIUM BATTERY)

O TIRES 80/90-12


BRAKE(F/R) F&R:DISC BRAKE

O RANGE 70-75KM

PAGE | 25 PAGE | 26







SPECIFICATIONS

II SIZE	1850*690*1120MM	■ BATTERY	72V40AH (LITHIUM BATTERY)
▲ WEIGHT	74KG	O TIRES	90/90-12
⊘ VOLTAGE	72V	BRAKE(F/R)	F&R:DISC BRAKE
MOTOR POWER	2500W	O RANGE	88KM
□ TOP SPEED	75km/h	⊘ CERTIFICATION	EEC
CONTROLLER	18T		

J24EST010





SPECIFICATIONS				
II SIZE	1830*688*1140MM	■ BATTERY	60V20.8AH (LITHIUM	
▲ WEIGHT	64KG		BATTERY)	
⊘ VOLTAGE	60V	O TIRES	90/90-12	
© MOTOR POWER	1000W	BRAKE(F/R)	F:DISC BRAKE R:DRUM BRAKE	
	45km/h	ම RANGE	70KM	
CONTROLLER	12T	⊘ CERTIFICATION	EEC	







SPECIFICATIONS

II SIZE	1920*710*1170MM	BATTERY	72V30AH (LITHIUM BATTERY)
▲ WEIGHT	99KG	O TIRES	90/90-12
⊘ VOLTAGE	72V	BRAKE(F/R)	F&R:DISC BRAKE
MOTOR POWER	2500W	O RANGE	80KM
□ TOP SPEED	35-40km/h	⊘ CERTIFICATION	EEC
CONTROLLER	18T		

J24EST012





SPECIFICATIONS

II SIZE	1850*690*1120MM	■ BATTERY	72V24AH (LITHIUM BATTERY)
▲ WEIGHT	74.2KG	O TIRES	100/70-12
⊘ VOLTAGE	72V	BRAKE(F/R)	F&R:DISC BRAKE
© MOTOR POWER	1500W	O RANGE	70-80KM
□ TOP SPEED	35-40km/h	⊘ CERTIFICATION	CCC
CONTROLLER	15T		







SPECIFICATIONS

	PARAMETER 1	PARAMETER 2	PARAMETER 3	PARAMETER 4
II SIZE	1870*660*1100MM	1870*660*1100MM	1870*660*1100MM	1870*660*1100MM
△ WEIGHT	75KG	75KG	75KG	75KG
⊘ VOLTAGE	72V	72V	72V	72V
MOTOR POWER	1200W	1200W	2400W	2400W
	45-50km/h	45-50km/h	45-50km/h	45-50km/h
CONTROLLER	12T	12T	12T	12T
■ BATTERY	72V30AH	72V20AH (LITHIUM BATTERY)	72V30AH	72V20AH (LITHIUM BATTERY)
O TIRES	90/70-12	90/70-12	90/70-12	90/70-12
BRAKE(F/R)	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE	F:DISC BRAKE R:DRUM BRAKE
☉ RANGE	70KM	70KM	70KM	70KM
⊘ CERTIFICATION			EEC	EEC







	PARAMETER 1	PARAMETER 2	PARAMETER 3
II SIZE	1750*1120*680MM	1750*1120*680MM	1750*1120*680MM
™ WEIGHT	64KG	64KG	64KG
VOLTAGE	48V	60V	72V
MOTOR POWER	800W	1600W	2000W
a TOP SPEED	40km/h	60km/h	70km/h
■ CONTROLLER	12T	12T	12T
■ BATTERY	48V50AH (LITHIUM BATTERY)	60V45AH (LITHIUM BATTERY)	72V35AH (LITHIUM BATTERY)
TIRES	3.00-10	3.00-10	3.00-10
BRAKE(F/R)	CBS DISC BRAKE	CBS DISC BRAKE	CBS DISC BRAKE
೨ RANGE	120KM	80KM	60KM
⊘ CERTIFICATION	CCC	CCC	CCC

J24EST015





SPECIFICAT	SPECIFICATIONS				
	PARAMETER 1	PARAMETER 2	PARAMETER 3		
II SIZE	1800*1120*780MM	1800*1120*780MM	1800*1120*780MM		
▲ WEIGHT	64KG	64KG	64KG		
⊘ VOLTAGE	48V	60V	72V		
MOTOR POWER	800W	1600W	2000W		
	45km/h	60km/h	70km/h		
CONTROLLER	12T	12T	12T		
■ BATTERY	48V50AH (LITHIUM BATTERY)	60V40AH (LITHIUM BATTERY)	72V30AH (LITHIUM BATTERY)		
O TIRES	3.00-10	3.00-10	3.00-10		
BRAKE(F/R)	F&R:DISC BRAKE	F&R:DISC BRAKE	F&R:DISC BRAKE		
ම RANGE	120KM	75KM	55KM		
⊘ CERTIFICATION	CCC	CCC	CCC		







SPECIFICATIONS

II SIZE	1890*770*1260MM/1552*730*940MM	■ BATTERY	72V30AH (LITHIUM BATTERY) /
▲ WEIGHT	117KG/55KG		72V45AH (LITHIUM BATTERY)
⊘ VOLTAGE	72V/60V	O TIRES	100/80-12
MOTOR POWER	2000W/3000W	BRAKE(F/R)	F&R:DISC BRAKE
	60km/h / 80km/h	O RANGE	90KM/110KM
CONTROLLER	12T/18T	⊘ CERTIFICATION	EEC

J24EST017





SPECIFICATIONS				
II SIZE	1770*745*1090MM	■ BATTERY	48V20AH (LITHIUM BATTERY)	
▲ WEIGHT	102KG/117KG		/48V30AH	
⊘ VOLTAGE	72V	O TIRES	3.00-10	
MOTOR POWER	1200W/1500W	BRAKE(F/R)	F&R:DISC BRAKE	
	50km/h /60km/h	ම RANGE	80KM/70KM	
CONTROLLER	12T	⊘ CERTIFICATION	CCC	





SPECIFICATIONS

■ CONTROLLER 18T

II SIZE	1910*725*1090MM	■ BATTERY	60V50AH (LITHIUM
▲ WEIGHT	88KG		BATTERY)
⊘ VOLTAGE	60V	O TIRES	120/70-12
MOTOR POWER	4000W	BRAKE(F/R)	F&R:DISC BRAKE
□ TOP SPEED	80km/h	⊘ RANGE	75-80KM



⊘ CERTIFICATION EEC

J24EST019



SPECIFICATIONS

■ SIZE 1930*1130*720MM

■ WEIGHT 68KG
 ✓ VOLTAGE 72V
 ⑤ MOTOR POWER 1200W
 △ TOP SPEED 55km/h

■ CONTROLLER 12T

■ BATTERY 72V30AH

○ TIRES 3.00-10

BRAKE(F/R) F&R:DISC BRAKE



PAGE I 37







SPECIFICATIONS

II SIZE	1910*780*1290MM	BATTERY	72V30AH (LITHIUM BATTERY) /
▲ WEIGHT	108KG/122KG		72V45AH (LITHIUM BATTERY)
⊘ VOLTAGE	72V	O TIRES	80/90-12
MOTOR POWER	2000W/3000W	BRAKE(F/R)	F&R:DISC BRAKE
	60km/h / 80km/h	O RANGE	110KM
CONTROLLER	12T/18T		

J24EST021





SPECIFICATIONS				
II SIZE	1280*660*1060MM	BATTERY	60V30AH/60V30AH (LITHIUM	
▲ WEIGHT	65KG		BATTERY)	
⊘ VOLTAGE	60V	O TIRES	3.00-10	
© MOTOR POWER	800W/1200W	BRAKE(F/R)	F:DISC BRAKE R:DRUM BRAKE	
A TOP SPEED	50km/h	⊙ RANGE	70KM	
CONTROLLER	9T			





SPECIFICATIONS

■ SIZE 1552*730*940MM

▲ WEIGHT 55KG

TOP SPEED 45km/h / 50km/h

■ CONTROLLER 12T

■ BATTERY 48V30AH (LITHIUM BATTERY) /

60V24AH (LITHIUM BATTERY)

O TIRES 70/90-12

BRAKE(F/R)
F&R:DISC BRAKE

৩ RANGE 60-70KM

⊘ CERTIFICATION CCC











SPECIFICATIONS

■ SIZE 1650*745*1020MM

▲ WEIGHT 55KG **② VOLTAGE** 48V/60V

™ MOTOR POWER 500W/800W

TOP SPEED 45km/h / 50km/h

■ CONTROLLER 12T

■ BATTERY 48V30AH (LITHIUM BATTERY) /

60V24AH (LITHIUM BATTERY)

TIRES 80/80-14

BRAKE(F/R) F&R:DISC BRAKE

O RANGE 60-70KM

⊘ CERTIFICATION CCC





SPECIFICATIONS

II SIZE 1620*725*950MM **▲ WEIGHT** 71KG **⊘** VOLTAGE 48V/60V

△ TOP SPEED

■ CONTROLLER 12T

◆ MOTOR POWER 800W/1200W 40km/h / 60km/h BATTERY

48V31AH (LITHIUM BATTERY) /

F&R:DISC BRAKE

60V31AH (LITHIUM BATTERY)

90/80-12 TIRES

⊘ CERTIFICATION EEC

BRAKE(F/R) 90KM **⊘ RANGE**



J24EST025



SPECIFICATIONS

II SIZE 1765*1375*1080MM

▲ WEIGHT 110KG **⊘** VOLTAGE 60V MOTOR POWER 1200W □ TOP SPEED 50km/h **■ CONTROLLER** 18T

BATTERY 60V32AH

O TIRES 80/80-10

BRAKE(F/R) F&R:DISC BRAKE 60-70KM **O RANGE**



PAGE | 45 PAGE | 46