





J24ETS001





SPECIFICATIONS

II SIZE	1440*700*1030MM	BATTERY	60V20AH
™ WEIGHT	140KG	O TIRES	F:13*5-6;R:3.00-10
⊘ VOLTAGE	60V	BRAKE(F/R)	F:DRUM BRAKE
MOTOR POWER	800W/1000W		R:DISC BRKE
	25km/h	O RANGE	35-45 KM
CONTROLLER	15T/18T	⊘ CERTIFICATION	CE

J24ETS002





SPECIFICATIONS

II SIZE	1290*640*1000MM	■ BATTERY	48V20AH
™ WEIGHT	120KG	O TIRES	F&R:13*5-6
⊘ VOLTAGE	48V	BRAKE(F/R)	ELECTROMAGNETIC
MOTOR POWER	500W/800W		BRAKES
	15km/h	ು RANGE	35-45 KM
CONTROLLER	12T/15T	⊘ CERTIFICATION	CE



J24ETS003





60V20AH

F&R3.00-10

35-45 KM

F&R:DRUM BRAKE

SPECIFICATIONS

II SIZE	1610*690*1010MM	BATTERY	60V2
▲ WEIGHT	140KG	O TIRES	F&R
⊘ VOLTAGE	60V	BRAKE(F/R)	F&R:
MOTOR POWER	500W/800W	৩ RANGE	35-4
	25km/h	⊘ CERTIFICATION	CE
CONTROLLER	12T/15T		

J24ETS004





SPECIFICATIONS

II SIZE	1590*690*1080MM	BATTERY	60V20AH
▲ WEIGHT	130KG	O TIRES	F&R3.00-10
⊘ VOLTAGE	60V	BRAKE(F/R)	F:DISC BRAKE
MOTOR POWER	600W		R:DRUM BRAKE
	25km/h	O RANGE	35-45 KM
CONTROLLER	12T	$\ \boxdot \ CERTIFICATION$	EEC



PART 08 MINIEV

www.joykiebikes.com



J24EV001





SPECIFICATIONS

II SIZE	2300*1420*1650MM	■ BATTERY	100AH (LITHIUM
▲ WEIGHT	450KG		BATTERY)
⊘ VOLTAGE	72V	O TIRES	12INCH;235-30/12
MOTOR POWER	3000W	BRAKE(F/R)	FOUR-WHEEL DISC BRKE
☐ TOP SPEED	45km/h	O RANGE	60-150KM
CONTROLLER	SIX-PHASE PERMANNENT MAGNET SYCHRONOUS	⊘ CERTIFICATION	EEC





J24EV002



SPECIFICATIONS

■ SIZE 2800*1420*1750MM

▲ WEIGHT 450KG

MOTOR POWER 5500W

TOP SPEED 60km/h

■ CONTROLLER SIX-PHASE PERMANNENT MAGNET SYCHRONOUS

■ BATTERY 112AH;168AH (LITHIUM BATTERY)

TIRES 12INCH;235-30/12

BRAKE(F/R) FOUR-WHEEL DISC BRKE

ಲ RANGE 60-150KM

⊘ CERTIFICATION EEC





Solving your product challenges one solution at a time.







J24ECV001





SPECIFICATIONS

II SIZE	1900*665*1010MM	■ BATTERY	72V20AH (LEAD-ACID) /
▲ WEIGHT	75KG		72V20AH (LITHIUM BATTERY*2)
⊘ VOLTAGE	72V	O TIRES	90/90-12
MOTOR POWER	1200W/3000W	BRAKE(F/R)	F:DISC;R:DRUM
	45km/h	O RANGE	70-75KM
CONTROLLER	12T	⊘ CERTIFICATION	EEC

J24ECV002





SPECIFICATIONS

II SIZE	1800*800*1090MM	BATTERY	LEAD-ACID:60V20AH;
▲ WEIGHT	78KG		LITHIUM BATTERY:72V20AH/72V40AH
⊘ VOLTAGE	60V	O TIRES	10INCH/12INCH
© MOTOR POWER	800W/1200W/1500W	BRAKE(F/R)	F:DISC;R:DRUM/F&R:DISC BRKE
	25-50km/h	ම RANGE	45-70KM
CONTROLLER	12T/18T	⊘ CERTIFICATION	EEC





J24ECV003



SPECIFICATIONS

■ SIZE 1800*1440*700MM

WEIGHT 75KG

VOLTAGE 48V/60V

MOTOR POWER 1800W

TOP SPEED 45km/h

CONTROLLER 12T

■ BATTERY 48V30AH/LITHIUM BATTERY:60V30AH

TIRES 3.00-10

BRAKE(F/R) F&R:DISC BRKE

⊙ RANGE 60-90KM

⊘ CERTIFICATION 3C



J24ECV004



SPECIFICATIONS

■ SIZE 2800X1100X1700MM

■ WEIGHT 250KG
 ② VOLTAGE 60V
 ③ MOTOR POWER 2500W
 ④ TOP SPEED 45km/h

■ BATTERY LEAD-ACID:60V 100AH

24T

TIRES F:110/70-R12;R:125/65-R12
 ■ BRAKE(F/R) F&R:DISC BRKE

৩ RANGE 90KM

CONTROLLER

J24ECV006



SPECIFICATIONS

■ SIZE 2890*980*1720MM

▲ WEIGHT 235KG

⊘ VOLTAGE 60V

TOP SPEED 25-45km/h

■ CONTROLLER 18T/24T

■ BATTERY 60V52AH

TIRES F&R:3.00-12

○ RANGE 40KM○ CERTIFICATION 3C

J24ECV005



SPECIFICATIONS

■ SIZE 3100*1180*1730MM

▲ WEIGHT 225KG

✓ VOLTAGE 60V

MOTOR POWER 1200W/2000W
 TOP SPEED 25-45km/h
 CONTROLLER 24T/36T

■ BATTERY 60V52AH

• TIRES F:3.50-12;R:3.75-12

BRAKE(F/R) THREE-WHEEL HUB BRAKES

③ RANGE 50KM☑ CERTIFICATION 3C;EEC

J24ECV007



SPECIFICATIONS

■ SIZE 2745*1025*1262MM

■ WEIGHT 170KG
 ✓ VOLTAGE 60V

© MOTOR POWER 800W/1000W/1200W

□ TOP SPEED 25-45km/h
 □ CONTROLLER 18T/24T

■ BATTERY LEAD-ACID:60V45AH/60V52AH

TIRES F&R:3.00-12/F:3.50-12;R:3.75-12

BRAKE(F/R) THREE-WHEEL HUB BRAKES

© RANGE 40-50KM











